

UNITED STATES BANKRUPTCY COURT Eastern District of Pennsylvania		VOLUNTARY PETITION
Name of Debtor (if individual, enter Last, First, Middle): ALLIANCE OF YOUTH MISSION MINISTRIES, INC.		Name of Joint Debtor (Spouse) (Last, First, Middle):
All Other Names used by the Debtor in the last 8 years (include married, maiden, and trade names):		All Other Names used by the Joint Debtor in the last 8 years (include married, maiden, and trade names):
Last four digits of Soc. Sec. or Individual-Taxpayer I.D. (ITIN)/Complete EIN (if more than one, state all): 36-47280004		Last four digits of Soc. Sec. or Individual-Taxpayer I.D. (ITIN)/Complete EIN (if more than one, state all):
Street Address of Debtor (No. and Street, City, and State): 3036-40 N. 22nd Street Philadelphia, PA		Street Address of Joint Debtor (No. and Street, City, and State):
ZIP CODE 19132		ZIP CODE
County of Residence or of the Principal Place of Business: Philadelphia		County of Residence or of the Principal Place of Business:
Mailing Address of Debtor (if different from street address):		Mailing Address of Joint Debtor (if different from street address):
ZIP CODE		ZIP CODE
Location of Principal Assets of Business Debtor (if different from street address above):		
ZIP CODE		
Type of Debtor (Form of Organization) (Check one box.) <input type="checkbox"/> Individual (includes Joint Debtors) <i>See Exhibit D on page 2 of this form.</i> <input checked="" type="checkbox"/> Corporation (includes LLC and LLP) <input type="checkbox"/> Partnership <input type="checkbox"/> Other (If debtor is not one of the above entities, check this box and state type of entity below.)	Nature of Business (Check one box.) <input type="checkbox"/> Health Care Business <input type="checkbox"/> Single Asset Real Estate as defined in 11 U.S.C. § 101(51B) <input type="checkbox"/> Railroad <input type="checkbox"/> Stockbroker <input type="checkbox"/> Commodity Broker <input type="checkbox"/> Clearing Bank <input checked="" type="checkbox"/> Other	Chapter of Bankruptcy Code Under Which the Petition is Filed (Check one box.) <input type="checkbox"/> Chapter 7 <input type="checkbox"/> Chapter 9 <input checked="" type="checkbox"/> Chapter 11 <input type="checkbox"/> Chapter 12 <input type="checkbox"/> Chapter 13 <input type="checkbox"/> Chapter 15 Petition for Recognition of a Foreign Main Proceeding <input type="checkbox"/> Chapter 15 Petition for Recognition of a Foreign Nonmain Proceeding
Chapter 15 Debtors Country of debtor's center of main interests: Each country in which a foreign proceeding by, regarding, or against debtor is pending:	Tax-Exempt Entity (Check box, if applicable.) <input type="checkbox"/> Debtor is a tax-exempt organization under title 26 of the United States Code (the Internal Revenue Code).	Nature of Debts (Check one box.) <input type="checkbox"/> Debts are primarily consumer debts, defined in 11 U.S.C. § 101(8) as "incurred by an individual primarily for a personal, family, or household purpose." <input checked="" type="checkbox"/> Debts are primarily business debts.
Filing Fee (Check one box.) <input checked="" type="checkbox"/> Full Filing Fee attached. <input type="checkbox"/> Filing Fee to be paid in installments (applicable to individuals only). Must attach signed application for the court's consideration certifying that the debtor is unable to pay fee except in installments. Rule 1006(b). See Official Form 3A. <input type="checkbox"/> Filing Fee waiver requested (applicable to chapter 7 individuals only). Must attach signed application for the court's consideration. See Official Form 3B.		Chapter 11 Debtors Check one box: <input checked="" type="checkbox"/> Debtor is a small business debtor as defined in 11 U.S.C. § 101(51D). <input type="checkbox"/> Debtor is not a small business debtor as defined in 11 U.S.C. § 101(51D). Check if: <input type="checkbox"/> Debtor's aggregate noncontingent liquidated debts (excluding debts owed to insiders or affiliates) are less than \$2,490,925 (<i>amount subject to adjustment on 4/01/16 and every three years thereafter</i>). <hr/> Check all applicable boxes: <input type="checkbox"/> A plan is being filed with this petition. <input type="checkbox"/> Acceptances of the plan were solicited prepetition from one or more classes of creditors, in accordance with 11 U.S.C. § 1126(b).
Statistical/Administrative Information <input checked="" type="checkbox"/> Debtor estimates that funds will be available for distribution to unsecured creditors. <input type="checkbox"/> Debtor estimates that, after any exempt property is excluded and administrative expenses paid, there will be no funds available for distribution to unsecured creditors.		THIS SPACE IS FOR COURT USE ONLY
Estimated Number of Creditors <input checked="" type="checkbox"/> 1-49 <input type="checkbox"/> 50-99 <input type="checkbox"/> 100-199 <input type="checkbox"/> 200-999 <input type="checkbox"/> 1,000-5,000 <input type="checkbox"/> 5,001-10,000 <input type="checkbox"/> 10,001-25,000 <input type="checkbox"/> 25,001-50,000 <input type="checkbox"/> 50,001-100,000 <input type="checkbox"/> Over 100,000		
Estimated Assets <input type="checkbox"/> \$0 to \$50,000 <input type="checkbox"/> \$50,001 to \$100,000 <input type="checkbox"/> \$100,001 to \$500,000 <input checked="" type="checkbox"/> \$500,001 to \$1 million <input type="checkbox"/> \$1,000,001 to \$10 million <input type="checkbox"/> \$10,000,001 to \$50 million <input type="checkbox"/> \$50,000,001 to \$100 million <input type="checkbox"/> \$100,000,001 to \$500 million <input type="checkbox"/> \$500,000,001 to \$1 billion <input type="checkbox"/> More than \$1 billion		
Estimated Liabilities <input type="checkbox"/> \$0 to \$50,000 <input type="checkbox"/> \$50,001 to \$100,000 <input checked="" type="checkbox"/> \$100,001 to \$500,000 <input type="checkbox"/> \$500,001 to \$1 million <input type="checkbox"/> \$1,000,001 to \$10 million <input type="checkbox"/> \$10,000,001 to \$50 million <input type="checkbox"/> \$50,000,001 to \$100 million <input type="checkbox"/> \$100,000,001 to \$500 million <input type="checkbox"/> \$500,000,001 to \$1 billion <input type="checkbox"/> More than \$1 billion		

Voluntary Petition <i>(This page must be completed and filed in every case.)</i>	Name of Debtor(s):
--	--------------------

All Prior Bankruptcy Cases Filed Within Last 8 Years (If more than two, attach additional sheet.)		
Location Where Filed: Eastern District of Pennsylvania	Case Number: 14-14323-sr	Date Filed: 05/28/2014
Location Where Filed:	Case Number:	Date Filed:

Pending Bankruptcy Case Filed by any Spouse, Partner, or Affiliate of this Debtor (If more than one, attach additional sheet.)		
Name of Debtor:	Case Number:	Date Filed:
District:	Relationship:	Judge:

<p style="text-align:center;">Exhibit A</p> <p>(To be completed if debtor is required to file periodic reports (e.g., forms 10K and 10Q) with the Securities and Exchange Commission pursuant to Section 13 or 15(d) of the Securities Exchange Act of 1934 and is requesting relief under chapter 11.)</p> <p><input type="checkbox"/> Exhibit A is attached and made a part of this petition.</p>	<p style="text-align:center;">Exhibit B</p> <p>(To be completed if debtor is an individual whose debts are primarily consumer debts.)</p> <p>I, the attorney for the petitioner named in the foregoing petition, declare that I have informed the petitioner that [he or she] may proceed under chapter 7, 11, 12, or 13 of title 11, United States Code, and have explained the relief available under each such chapter. I further certify that I have delivered to the debtor the notice required by 11 U.S.C. § 342(b).</p> <p>X _____ Signature of Attorney for Debtor(s) (Date)</p>
--	--

Exhibit C

Does the debtor own or have possession of any property that poses or is alleged to pose a threat of imminent and identifiable harm to public health or safety?

Yes, and Exhibit C is attached and made a part of this petition.

No.

Exhibit D

(To be completed by every individual debtor. If a joint petition is filed, each spouse must complete and attach a separate Exhibit D.)

Exhibit D, completed and signed by the debtor, is attached and made a part of this petition.

If this is a joint petition:

Exhibit D, also completed and signed by the joint debtor, is attached and made a part of this petition.

Information Regarding the Debtor - Venue
(Check any applicable box.)

Debtor has been domiciled or has had a residence, principal place of business, or principal assets in this District for 180 days immediately preceding the date of this petition or for a longer part of such 180 days than in any other District.

There is a bankruptcy case concerning debtor's affiliate, general partner, or partnership pending in this District.

Debtor is a debtor in a foreign proceeding and has its principal place of business or principal assets in the United States in this District, or has no principal place of business or assets in the United States but is a defendant in an action or proceeding [in a federal or state court] in this District, or the interests of the parties will be served in regard to the relief sought in this District.

Certification by a Debtor Who Resides as a Tenant of Residential Property
(Check all applicable boxes.)

Landlord has a judgment against the debtor for possession of debtor's residence. (If box checked, complete the following.)

(Name of landlord that obtained judgment)

(Address of landlord)

Debtor claims that under applicable nonbankruptcy law, there are circumstances under which the debtor would be permitted to cure the entire monetary default that gave rise to the judgment for possession, after the judgment for possession was entered, and

Debtor has included with this petition the deposit with the court of any rent that would become due during the 30-day period after the filing of the petition.

Debtor certifies that he/she has served the Landlord with this certification. (11 U.S.C. § 362(l)).

Voluntary Petition

(This page must be completed and filed in every case.)

Name of Debtor(s):

ALLIANCE OF YOUTH MISSION MINISTRIES, INC.

Signatures

Signature(s) of Debtor(s) (Individual/Joint)

I declare under penalty of perjury that the information provided in this petition is true and correct.

[If petitioner is an individual whose debts are primarily consumer debts and has chosen to file under chapter 7] I am aware that I may proceed under chapter 7, 11, 12 or 13 of title 11, United States Code, understand the relief available under each such chapter, and choose to proceed under chapter 7.

[If no attorney represents me and no bankruptcy petition preparer signs the petition] I have obtained and read the notice required by 11 U.S.C. § 342(b).

I request relief in accordance with the chapter of title 11, United States Code, specified in this petition.

X _____
Signature of Debtor

X _____
Signature of Joint Debtor

Telephone Number (if not represented by attorney)

Date

Signature of a Foreign Representative

I declare under penalty of perjury that the information provided in this petition is true and correct, that I am the foreign representative of a debtor in a foreign proceeding, and that I am authorized to file this petition.

(Check only **one** box.)

I request relief in accordance with chapter 15 of title 11, United States Code. Certified copies of the documents required by 11 U.S.C. § 1515 are attached.


Pursuant to 11 U.S.C. § 1511, I request relief in accordance with the chapter of title 11 specified in this petition. A certified copy of the order granting recognition of the foreign main proceeding is attached.

X _____
(Signature of Foreign Representative)

(Printed Name of Foreign Representative)

Date

Signature of Attorney*

X 
Signature of Attorney for Debtor(s)

Robert L. Simmons, Esquire

Printed Name of Attorney for Debtor(s)
LAW OFFICES OF ROBERT L. SIMMONS

Firm Name

1207 South 5th Street
Philadelphia, PA 19147-5204

Address
(215) 462-4577

Telephone Number
08/03/2015

Date

*In a case in which § 707(b)(4)(D) applies, this signature also constitutes a certification that the attorney has no knowledge after an inquiry that the information in the schedules is incorrect.

Signature of Non-Attorney Bankruptcy Petition Preparer

I declare under penalty of perjury that: (1) I am a bankruptcy petition preparer as defined in 11 U.S.C. § 110; (2) I prepared this document for compensation and have provided the debtor with a copy of this document and the notices and information required under 11 U.S.C. §§ 110(b), 110(h), and 342(b); and, (3) if rules or guidelines have been promulgated pursuant to 11 U.S.C. § 110(h) setting a maximum fee for services chargeable by bankruptcy petition preparers, I have given the debtor notice of the maximum amount before preparing any document for filing for a debtor or accepting any fee from the debtor, as required in that section. Official Form 19 is attached.

Printed Name and title, if any, of Bankruptcy Petition Preparer

Social-Security number (If the bankruptcy petition preparer is not an individual, state the Social-Security number of the officer, principal, responsible person or partner of the bankruptcy petition preparer.) (Required by 11 U.S.C. § 110.)

Address

X _____
Signature

Date

Signature of bankruptcy petition preparer or officer, principal, responsible person, or partner whose Social-Security number is provided above.

Names and Social-Security numbers of all other individuals who prepared or assisted in preparing this document unless the bankruptcy petition preparer is not an individual.

If more than one person prepared this document, attach additional sheets conforming to the appropriate official form for each person.

A bankruptcy petition preparer's failure to comply with the provisions of title 11 and the Federal Rules of Bankruptcy Procedure may result in fines or imprisonment or both. 11 U.S.C. § 110; 18 U.S.C. § 156.

Signature of Debtor (Corporation/Partnership)

I declare under penalty of perjury that the information provided in this petition is true and correct, and that I have been authorized to file this petition on behalf of the debtor.

The debtor requests the relief in accordance with the chapter of title 11, United States Code, specified in this petition.

X 
Signature of Authorized Individual

Scott Hawes

Printed Name of Authorized Individual
President

Title of Authorized Individual
08/03/2015

Date

B 1C (Official Form 1, Exhibit C) (9/01)

[If, to the best of the debtor's knowledge, the debtor owns or has possession of property that poses or is alleged to pose a threat of imminent and identifiable harm to the public health or safety, attach this Exhibit "C" to the petition.]

UNITED STATES BANKRUPTCY COURT
Eastern District of Pennsylvania

In re ALLIANCE OF YOUTH MISSION MINISTRIES ,) Case No. _____
Debtor)
)
) Chapter 11

EXHIBIT "C" TO VOLUNTARY PETITION

1. Identify and briefly describe all real or personal property owned by or in possession of the debtor that, to the best of the debtor's knowledge, poses or is alleged to pose a threat of imminent and identifiable harm to the public health or safety (attach additional sheets if necessary):

The real property owned by Debtor located at 3036-40 N. 22nd Street, Philadelphia, PA 19132 has been cited by the City of Philadelphia Department of Licensing & Inspection for allegedly being in violation of its Code provisions rendering said real property unsafe and a threat to public health and safety. The alleged violations and designation of the real property as being unsafe and a threat to public health and safety is disputed in its entirety as same were made immediately after a fire on the premises by inspectors (not fire officials) who lacked the requisite knowledge and skills to accurately interpret the status of the property, fire alarm & electrical systems, and to assess conditions in light of the fire.

2. With respect to each parcel of real property or item of personal property identified in question 1, describe the nature and location of the dangerous condition, whether environmental or otherwise, that poses or is alleged to pose a threat of imminent and identifiable harm to the public health or safety (attach additional sheets if necessary):

See City of Philadelphia Department of Licensing & Inspection's 11/7/2014 notices of violations, consisting of ten (10) pages, attached hereto.



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

Subject Premises: 3036 N 22ND ST
Inspection Type: HOUSING CODE ENFORCE INSP # 1

This is to inform you that the Department of Licenses and Inspections has inspected the subject premises and designated it as in violation, in whole or in part, within the meaning of the Philadelphia Code. This designation will remain until the violation(s) below is corrected. If you fail to comply with this order, the City may take actions to comply with the city code by using its own forces or by contract. You, will be billed for all costs incurred including court and administrative fees. Failure to pay such bill will result in the City filing a lien in the amount against the title to the premises and/or costs and charges being recovered by a civil action brought against you.

If you have any questions regarding this notice, you may call the Code Enforcement Unit at 215-686-2596.

If you intend to appeal this violation, you must apply at Boards Administration, Public Services 11th Floor, Municipal Services Building, 1401 John F. Kennedy Blvd., Philadelphia, PA 19102, within 30 days of the date of this notice. Telephone inquiries concerning appeal process can be directed to 215-686-2427. It is necessary that you submit a copy of this notice with the appeal. (See A-801.2)

Please Note: Appeals for Fire Code requirements must be submitted to the Board of Safety and Fire Prevention, 240 Spring Garden Street, Philadelphia, PA 19123, (215) 686-1356.

INSPECTOR DURST
Code Enforcement

VIOLATIONS:

The department has issued a Cease Operations Order for this premises. Occupancy, use and other activities shall cease immediately and the premises be vacated because the occupancy, use or other activity is being performed in or on this building, structure or land, or any part thereof, without required Zoning and/or Use Registration permits, Certificate of Occupancy or other permits. (See A-505.1)

Location: Fire Code violations, property violations, zoning violations (exceeded approved number of units

Fire Code violations, property violations. Approved for 22 units. 25 units were observed.

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

Extension cords and flexible cords shall not be a substitute for permanent wiring. Extension cords and flexible cords shall not be affixed to structures; extended through walls, ceilings or floors, or under doors or floor coverings, nor shall such cords be subject to environmental damage or physical impact. Extension cords shall be used only with portable appliances. (See F-605.5)

Location: Multiple electrical cords in rooming units, also running from rooms into other rooming units in building

Multiple electrical cords in roomin units, also running from rooms into other rooming units in building

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The smoke alarm(s) in this residential occupancy lacks the required battery backup. Except as otherwise provided by the Fire Code, single-station smoke alarms in residential occupancies must be equipped with a battery backup and must emit a signal when the batteries are low.

You must install a smoke alarm(s) with the required battery backup. (See F-907.3.2.3)

Location: Battery backup wiring not attached to battery in fire alarm unit

Battery backup wiring not attached to battery in fire alarm unit

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Every window, door and frame must be kept in sound condition, good repair, weather tight and free of broken glazing. (See PM-304.8)

Location: Missing windows in building due to fire

Missing windows in building due to fire

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Smoking is taking place in inappropriate areas of this premises.

Smoking is prohibited where conditions are such as to make smoking a hazard and in spaces where flammable or combustible materials are stored or handled. You must stop people from smoking in the indicated areas.

(See F-310.2)

Location: Smoking inside building with portable oxygen tanks located in rooming unit

Smoking inside building with portable oxygen tanks located in rooming unit

The status of this violation is NOT COMPLIED as of 11/07/14.



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

The number of days to comply this violation is 35 days.

All required fire doors and smoke barrier doors shall be maintained in good working order, including all hardware necessary for the proper operation thereof. You must repair the indicated automatic or self-closing fire door(s).
(See F-703.1 and F-703.2)

Location: Missing panic hardware on fire rated doors

Missing panic hardware on fire rated doors

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

You must obtain the license indicated below for the activity conducted at this location or discontinue the activity. For license application information, call 215 686-2463. (See Titles 9 and 10)

Licenses required by the Philadelphia Code must be publicly displayed in a conspicuous place where the licensed activity or act is principally conducted in accordance with the requirements of the license. (See Titles 9 and 10)

Location: No food license-operational kitchen

No food license-operational kitchen.

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The interior of every structure must be free from any accumulation of rubbish or garbage. (See PM-303.2)

Location: Remove trash from fire damage to building

Remove trash from fire damage to building

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The interior of a structure and equipment therein must be maintained in good repair, structural sound and in a sanitary condition. Every owner of a structure containing more than one tenant must maintain, in a clean and sanitary condition, the shared or public areas of the structure.
(See PM-305.1)

Location: Clean interior of building fire damage

Clean interior of building fire damage

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The water service must be restored. (See PM-408.1)



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

Location: Water dept shut off water

Water dept shut off water/theft of services

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The emergency lighting must be repaired and made operative.

(See F-1006.1, F-1006.3, F-1026.4 and F-1026.5)

Location: Emergency lighting defective throughout the entire building

Emergency lighting defective throughout the entire building

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

There is combustibile material too close to the heater at this location.

Clearance between ignition sources, such as heaters and combustibile materials shall be maintained in an approved manner.

Remove combustibile materials from area near heater. (See F-305.1)

Location: Portable heaters in rooming units

Portable heaters in rooming units

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

There is portable heating or cooking equipment employing flame in this building or part thereof
This is a hazard.

Fueled equipment, including but not limited to portable cooking equipment, must not be stored, operated or repaired within a building except in buildings or rooms constructed for such use in accordance with the Building Code.

You must remove this equipment from the building. (See F-313.1 et seq)

Location: Portable cooking equipment located in rooming unit on concrete floor

Portable cooking equipment located in rooming unit on concrete floor

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

All fire protection systems shall be maintained in an operative condition at all times. Where a required fire protection system is out of service, the Fire Department and the Department of Licenses and Inspections must be notified immediately. (See F-901.7)

Location: Make all fire protection systems operational

Make all fire protection systems operational



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Each manual fire alarm box (manual pull stations) shall have a sign mounted immediately adjacent to the box that reads: "IN CASE OF FIRE SOUND ALARM AND CALL 911" or "IN CASE OF FIRE: SOUND ALARM AND CALL THE FIRE DEPARTMENT". (See F-907.4.4)
Location: Pull station signs painted over

Pull station signs painted over

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

You must make the door(s) from dwelling unit self-closing. (See F-703.1)
Location: No self closing doors for all 25 rooming units and stairway exit doors

No self closing doors for all 25 rooming units and stairway exit doors

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Repair inoperable fire alarm system. (See F-901.6)

Location: Inoperable fire alarm system

Inoperable fire alarm system

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Annual test records and certifications of standby or emergency electrical systems shall be kept on site for a period of three years. A copy of this certification must be submitted in approved form to the inspector listed in this Notice of Violation.
(See F-915.1 et seq.)

Location: No annual certification for standby emergency lighting system

No annual certification for standby emergency lighting system

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The occupant must keep that part of the exterior property, which such occupant occupies or controls, in a clean and sanitary condition and free from any accumulation of rubbish or garbage. (See PM-302.2)

Location: Trash in rear of property

Trash in rear of property

The status of this violation is NOT COMPLIED as of 11/07/14.



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

The number of days to comply this violation is 35 days.

The interior of every structure must be free from any accumulation of rubbish or garbage. (See PM-303.2)

Location: Accumulation of beds, furniture in basment storage area

Accumulation of beds, furniture in basment storage

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

A use registration permit is required for every new use commenced on any land or in any structure. Return the subject premise to its approved usage or secure the proper permit for its present use. For zoning information call 215-686-2455. (See A-301.1.5)

Location: Return 3 story property to original zoning approval

Return 3 story property to original zoning approval, sleeping unit observed in basement

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

One or more exit signs at this premises are not properly illuminated.

Exit signs (other than required tactile signs) must be internally or externally illuminated at all times.

You must provide the required illumination.

(See F-1011.2, F-1011.4, F-1011.5, F-1011.5.2, F-1011.5.3, F-1026.1 and F-1026.3)

Location: Exit signs not properly illuminated throughout building

Exit signs not property illuminated throughout building

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Every sleeping room located below the fourth story in this occupancy shall have at least one exterior emergency escape (openable window or door) approved for emergency egress or rescue. (See F-1025.1)

Location: 2nd floor bedroom rooming unit no window (west side of building)

2nd floor bedroom rooming unit no window (west side of building)

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Open junction boxes and open-wiring splices are prohibited. Approved covers shall be provided for all switch and electrical outlet boxes. (See F-605.6)

Location: Open Main in basement mechanical room missing coverings

Open Main in basement mechanical room missing covering



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

A required fire protection system(s) at this premises has not been tested and/or maintained as required.

Fire detection, alarm and extinguishing systems shall be maintained in an operative condition at all times, and shall be replaced or repaired where defective. They shall be inspected, tested and maintained in accordance with Fire Code standards.

You must have this system(s) tested as required and complete all necessary maintenance and repairs. Except for Use Group R3, records of all required system inspections, tests, and maintenance must be maintained on the premises for a minimum of 3 years and made available to the fire code official upon request. (See F-901.6, F-901.6.1 and F-901.6.2)

Location: Fire alarm, emergency lighting, exit signage inoperable at time of inspection

Fire alarm, emergency lighting, exit signage inoperable at time of inspection.

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Have fire extinguisher inspected and tagged by a licensed fire protection system contractor. (See F-906.2)

Location: All fire extinguishers aren't currently inspected

All fire extinguishers aren't currently inspected

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Annual test records and certifications of all fire alarm systems shall be kept on site for a period of three years. A copy of this certification must be submitted in approved form to the inspector listed in this Notice of Violation.

(See F- 915.1 et seq. and F-907.20.5)

Location: No annual fire alarm certification, back up battery in fire alarm box wiring not attached to back up battery

No annual fire alarm certification, back up battery in fire alarm box wiring not attached to back up battery

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

Except as specifically permitted by the Fire Code, locks or fasteners shall not be installed on egress doors.

You must remove all locks and fasteners from egress doors unless specifically permitted by the Fire Code. (See F-1008.1.8 et seq.)

Location: Missing locking and fasteners on exit fire doors throughout building

Missing locking and fasteners on exit fire doors throughout building

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The ceiling must be repaired and maintained in good, clean and sanitary condition. (See PM-305.3)

Location: Repair ceiling due to fire 3rd floor

Repair ceiling due to fire 3rd floor

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

All "Exit" signs shall be maintained visible, and all illuminated exit signs shall be illuminated at all times. (See F-1011 et seq and F-1026)

Location: Exit signage not working

Exit signage not working

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

One or more stationary containers at this location are not properly identified.

Unless otherwise exempted by the fire code official, visible hazard identification signs as specified in NFPA 704 for the specific material contained must be placed on stationary containers. Such signs and markings must not be obscured or removed, must be in English as a primary language or in symbols allowed by this code and must be durable, and the size, color and lettering must be approved.

You must properly identify each stationary container at this location with a sign meeting the above standards. (See F-2703.5 and F-2703.6)

Location: No storage containers for individual oxygen tanks located in rooming unit

No storage containers for individual oxygen tanks located in rooming unit

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Multiplug adaptors, such as cube adaptors, unfused plug strips or any other device not complying with the electrical code, are prohibited. (See F-805.4)



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

Location: Multiplug adaptors are located throughout the rooming units

Multiplug adaptors are located throughout the rooming units

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

The subject premises lacks an approved automatic fire detection system in its common areas, corridors, and basements as required by the Fire Code.

Except as otherwise provided by the Fire Code, existing residential buildings and structures containing sleeping units or more than two dwelling units for primarily permanent occupants must be equipped with an approved manual fire alarm system and automatic fire detection system in the areas indicated above.

You must have the required automatic fire detection system properly installed. (See F-907.3 and F-907.3.1.10)

Location: No smoke alarms between emergency exit doors

No smoke alarms between emergency exit doors

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

You must make the door(s) from dwelling unit self-closing. (See F-703.1)

Location: No self closing doors for every rooming unit in property

No self closing doors for every rooming unit in property

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

This commercial kitchen's exhaust hood's automatic fire-extinguishing system has not been serviced as required.

Such systems must be serviced at least every 6 months and after activation of the system.

Inspection is to be made by a qualified individual, and a certificate of inspection must be forwarded to the Commercial and Industrial Fire Inspection Unit of the Department of Licenses and Inspections upon completion.

You must have this system serviced and the inspection certification submitted within the compliance period given on this notice. In addition to this imminent requirement, an annual certification shall be submitted on an approved form to the Commercial and Industrial Fire

Inspection Unit in accordance with Section 914.1 of the Philadelphia Fire Code. (See F-904.11.6, F-904.11.6.4 and F-914.1)

Location: No certification for Commercial kitchen cooking system

No certification for commercial kitchen cooking system

The status of this violation is NOT COMPLIED as of 11/07/14.



CITY OF PHILADELPHIA
DEPARTMENT OF LICENSES AND INSPECTIONS

Code Enforcement Unit
Housing Division
1401 JFK Blvd.
11th Floor, Suite 1130
Philadelphia, PA 19102

VIOLATION NOTICE

ALLIANCE OF YOUTH MISSION
3036 N 22ND ST
PHILADELPHIA PA 19132-1515

Case No: 459840
Date of Notice: 11/07/14

The number of days to comply this violation is 35 days.

The fire alarm is not audible as required in the space(s) indicated.
Fire alarm system notification appliances must be audible in every occupied space.
You must make the fire alarm signal audible to the level required by the Fire Code in the space(s) indicated or install additional notification appliances.
(See F-907.3.1 and F-907.10.2)

Location: Inoperable fire audibility not in operation at time of inspection

Inoperable fire audibility not in operation at time of inspection

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

You must obtain the license indicated below for the activity conducted at this location or discontinue the activity. For license application information, call 215 686-2463. (See Titles 9 and 10)

Licenses required by the Philadelphia Code must be publicly displayed in a conspicuous place where the licensed activity or act is principally conducted in accordance with the requirements of the license. (See Titles 9 and 10)

Location: No Dumpster-no dumpster license #3230

No Dumpster-no dumpster license #3230

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

Kitchens, nonhabitable spaces and interior public areas must not be occupied for sleeping purposes. (See PM-404.3)

Location: Occupants sleeping in conference room

Occupants sleeping in conference room/pillows and blanks on floor

The status of this violation is NOT COMPLIED as of 11/07/14.

The number of days to comply this violation is 35 days.

A \$75 fee will be assessed on the third inspection failure doubling with each subsequent failure up to a \$300 fine per inspection.